# Subject Index


A
*aacA-aphD* gene
  *Spiroplasma citri*
    transmission and pathogenicity, 484
*AAT1p* gene
  biotrophic plant-microbe interactions and, 642
*Abutilon striatum*
  optical disease detection and, 597
*Acacia* spp.
  *Gibberella* spp. and, 186
*Acanthocheilonema vitae*
  parasitic nematode interactions and, 259
*Aceria tosichella*
  wheat streak mosaic virus population genetics and, 200
Acetylcholinesterase
  parasitic nematode interactions and, 259
Acibenzolar-S-methyl
  tomato spotted wilt in peanut and, 64
*Acidovorax avenae*
  crop biosecurity and molecular-based diagnostics, 306, 311
Activation
  *Pto*-mediated resistance to bacterial speck disease in tomato and, 235–37
Active learning
  teaching plant pathology and, 381
*Acyrthosiphum pisum*
  luteovirus-aphid interactions and, 543
Additive resistance
  transgenic nematode control and, 618–19
*adr1* gene
  cAMP signaling in phytopathogenic fungi and, 402–6, 410
*Aedes albopictus*
  luteovirus-aphid interactions and, 551
Aerosols
  biofilm formation by plant-associated bacteria and, 429
Affinity-enhancement model
  *Pto*-mediated resistance to bacterial speck disease in tomato and, 233–35
Aflatoxins
  crop biosecurity and, 159, 160–62
  mycotoxin management in maize and, 99–102, 105–6, 109–10
Agricultural bioterrorism
  plant pathogens as weapons against U.S. crops and, 155–72
*Agrobacterium* spp.
  *Benyviruses* and plasmodiophorid vectors, 573
  biofilm formation by plant-associated bacteria and, 443
  crop biosecurity and molecular-based diagnostics, 311
  pathogen self-defense and, 506, 510–11, 518, 524
  pesticide use in California and, 362–64
  *Pto*-mediated resistance to bacterial speck disease in tomato and, 223
  quorum sensing in plant-pathogenic bacteria and, 455, 457–60
  transgenic nematode control and, 629
Agrocin 84
  pathogen self-defense and, 506, 510–11
Airborne dissemination
  biofilm formation by plant-associated bacteria and, 429, 440–43
*Albizia* spp.
  *Gibberella* spp. and, 181
Aldicarb
  transgenic nematode control and, 621
*Alnus sinuata*
  ecology of mycorrhizae and, 295
ALS84
  pathogen self-defense and, 511
*Alternaria brassicola*
  biotrophic plant-microbe interactions and, 645
  pathogen self-defense and, 510
*Amanita* spp.
  ecology of mycorrhizae and, 277, 286
*Amaranthus* spp.
  methyl bromide alternatives and, 338
*Ampelomyces quisqualis*
  pesticide use in California and, 362–63
α-Amylase

mycotoxin management in maize and, 107
Anaerobic control
antibiotic production in root-colonizing *Pseudomonas* spp. and, 127–30
*Anguina* spp.
crop biosecurity and molecular-based diagnostics, 315
perspectives on plant and soil nematology, 11
ANR transcriptional regulator
antibiotic production in root-colonizing *Pseudomonas* spp. and, 127–30
Antagonism
microbial pathogen self-defense and, 501–27
Anthrax
crop biosecurity and molecular-based diagnostics, 305
Antibiosis
pathogen self-defense and, 501–27
Antibiotic production
in root-colonizing *Pseudomonas* spp.
anaerobic control of cyanogenesis, 127–30
ANR transcriptional regulator, 127–30
biocontrol factors in rhizosphere, 120–24
conclusions, 135–36
DAPG, 129–30
epilogue, 136–37
factors influencing biocontrol antibiotic production, 124–25
GacS/GacA signal transduction cascade, 132–35
*lon* protease, 135
phenazines, 130–32
positive feedback loops, 135–36
posttranscriptional control mechanisms, 132–35
posttranscriptional gene silencing, 136
probiotic microorganisms, 119
prologue, 117–19
pyoluteorin, 129–30
quorum sensing, 130–32
regulatory mechanisms, 125–35
sigma factors, 125–27
transcriptional control mechanisms, 125–27
Antibiotics
pesticide use in California and, 354, 364–65
quorum sensing in plant-pathogenic bacteria and, 455–72
*Aphanocladium album*
pathogen self-defense and, 521
*Aphanomyces euteiches*
pathogen self-defense and, 509
*Aphelenchoides* spp.
crop biosecurity and molecular-based diagnostics, 315
Aphids
luteovirus-aphid interactions and, 539
Appressorium
cAMP signaling in phytopathogenic fungi and, 399–420
APS*net* Education Center
teaching plant pathology and, 394–95
*Arabidopsis thaliana*
antibiotic production in root-colonizing Pseudomonas spp. and, 124
biofilm formation by plant-associated bacteria and, 434
biotrophic plant-microbe interactions and, 646, 648, 650–54, 657–60
*Pto*-mediated resistance to bacterial speck disease in tomato and, 220, 222, 230–32
transgenic nematode control and, 617, 628–29
*Arabis lyrata*
biotrophic plant-microbe interactions and, 659
*Arachis hypogaea* L.
tomato spotted wilt in peanut and, 53–68
*Arceuthobium* spp.
history of research and, 48
*ARSK1* promoter
transgenic nematode control and, 618, 628
*Artemesia tridentata*
ecology of mycorrhizae and, 292
*Aspergillus* spp.
cAMP signaling in phytopathogenic fungi and, 400, 408, 417–18
crop biosecurity and, 159, 162
*Gibberella* spp. and, 178, 184
mycotoxin management in maize and, 99, 101, 104–5, 107, 109–10
pathogen self-defense and, 519
*Astilbe hybrida*
pathogen self-defense and, 510
*atao1* gene
parasitic nematode

interactions and, 252
*AT* genes
biotrophic plant-microbe interactions and, 646, 650
Autoinducers
quorum sensing in plant-pathogenic bacteria and, 455–72
Autophosphorylation
*Pto*-mediated resistance to bacterial speck disease in tomato and, 226–27
*Avena sativa*
*Gibberella* spp. and, 179
wheat streak mosaic virus population genetics and, 199
Avenues of entry
protecting
crop biosecurity and molecular-based diagnostics, 317
*Avr* genes
biotrophic plant-microbe interactions and, 645, 649–50
parasitic nematode interactions and, 256
transgenic nematode control and, 622
*AvrPto* gene
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 218–19, 223–27, 232–35
Azinphos-methyl
pesticide use in California and, 367
*Azospirillum* spp.
biofilm formation by plant-associated bacteria and, 437
Azoxystrobin
pesticide use in California and, 355
tomato spotted wilt in peanut and, 62

**B**

*Bacillus* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 120, 123
biofilm formation by plant-associated bacteria and, 442–43
pathogen self-defense and, 509–10, 519, 521, 524
pesticide use in California and, 362–63, 366
*Spiroplasma citri* transmission and pathogenicity, 487
transgenic nematode control and, 620–21, 631
Bacterial efflux pumps
pathogen self-defense and, 501, 509
Bacterial speck disease in tomato
*Pto*-mediated resistance to, 215–37
Bactericides
pesticide use in California and, 351–70
Bacteriophage resistance
pathogen self-defense and, 520–21
Barker KR, 1–21
Barley
biotrophic plant-microbe interactions and, 652–57
Barley yellow dwarf virus (BYDV)
luteovirus-aphid interactions and, 542–45, 549, 551, 556–60
optical disease detection and, 602
*BcatrB* gene
pathogen self-defense and, 508–9
*bcg* genes
cAMP signaling in phytopathogenic fungi and, 409
*bdm-1* gene
cAMP signaling in phytopathogenic fungi and, 413
*Beauvaria* spp.
pesticide use in California and, 362
tomato spotted wilt in peanut and, 64
Beauvericin
*Gibberella* spp. and, 184, 186, 189
Beet necrotic yellow vein virus (BNYVV)
*Benyviruses* and plasmodiophorid vectors, 567, 573–85
Beet soilborne mosaic virus (BSBMV)
*Benyviruses* and plasmodiophorid vectors, 567, 575–81, 584–85
Beet western yellow virus (BWYV)
luteovirus-aphid interactions and, 543, 545, 547, 549, 554
*Belonolaimus* spp.
perspectives on plant and soil nematology, 7, 11
Benomyl
ecology of mycorrhizae and, 292
history of research and, 30
pesticide use in California and, 354, 367
*Benyviruses*
plasmodiophorid vectors and
baiting *Polymyxa* from soil, 573
*Benyviruses*, 575–80
conclusions, 584–85
disease management, 582–84

future research, 584–85
host range specificity, 570–71
inoculum density and distribution, 581–82
interactions among virus species, 578–80
introduction, 567–68
life cycle of *Polymyxa betae*, 569
molecular characterization, 572–74
molecular techniques, 574
most probable number, 573
plasmodiophorid vectors, 568
regional adaptation, 571–72
rhizomania, 580–84
root infection, 570
serological techniques, 573–74
soil environment, 570
soil temperature and moisture, 582
variability within species, 576–78
vector detection, 573–74
vector ecology, 570–72
vector quantification, 573–74
vector taxonomy, 568
virus vector relationships, 569–70
viruses with plasmodiophorid vectors, 574–75
Benzimidazoles
parasitic nematode interactions and, 258
pesticide use in California and, 354
*Beta* spp.
*Gibberella* spp. and, 188
transgenic nematode control and, 622
*Bgh* gene
biotrophic plant-microbe interactions and, 644–45, 647–49, 653–57, 660
*Bgt* elicitor
biotrophic plant-microbe interactions and, 645–46
Biocides
methyl bromide alternatives and, 333–34
Biocontrol
cAMP signaling in phytopathogenic fungi and, 418–19
pathogen self-defense and, 501–27
Biofilms
formation by plant-associated bacteria and
airborne dissemination, 440–43
bacterial interactions, 434–36
composition, 433–34
cosmopolitanism, 440–43
epiphytic biofilms, 436–37
food quality management, 444–45
introduction, 429–30
localization, 433–34
perspectives, 445–46
phyllosphere, 433–37
plant health management, 444–45
properties of biofilms, 430–33
rhizosphere, 437–39
size, 433–34
structures of biofilms, 430–33
survival, 434–36
within plant tissues, 439–40
quorum sensing in plant-pathogenic bacteria and, 455–72
Biological control
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
biofilm formation by plant-associated bacteria and, 429
history of research and, 41–47, 50
methyl bromide alternatives and, 325, 340–41
perspectives on plant and soil nematology, 15–16
pesticide use in California and, 351
Biological weapons
crop biosecurity and, 155–72
Biology courses
teaching plant pathology and, 383
Biosafety
transgenic nematode control and, 621, 630–32
Biotechnology
tomato spotted wilt in peanut and, 68
transgenic nematode control and, 615
Bioterrorism
agricultural, 155–19
Biotrophy
parasitic fungi and *Arabidopsis*-enhanced disease resistance mutants, 657–59
broad-spectrum resistance, 652–60
cellular reprogramming, 648–50

conclusions, 660
*Mla* alleles, 648–50
*mlo*-mediated resistance in barley, 652–56
molecular mechanisms of powdery mildew pathogenesis, 644–45
parasitic biotrophy, 641–44
programming host cells for compatibility, 645–48
race-specific resistance, 648–50
*Rar1*-conseved convergence points, 650–52
resistance signaling, 650–52
*RPW8*-mediated resistance in *Arabidopsis*, 659–60
*Sgt1*-conseved convergence points, 650–52
symbiotic biotrophy, 641–44
perspectives on plant and soil nematology, 1–21
*Bipolaris sorokiniana*
biotrophic plant-microbe interactions and, 653
*bis1* gene
biotrophic plant-microbe interactions and, 648
*Bka1* gene
cAMP signaling in phytopathogenic fungi and, 416
Blasts
cAMP signaling in phytopathogenic fungi and, 399–420
Blights
cAMP signaling in phytopathogenic fungi and, 399–420
Blister rust
history of research and, 41, 43, 45–47
*Blumeria graminis*
biotrophic plant-microbe interactions and, 644–45
cAMP signaling in phytopathogenic fungi and, 415
optical disease detection and, 596
BMV polymerase
brome mosaic virus RNA replication and, 83–86
*Boletus* spp.
ecology of mycorrhizae and, 277
Bordeaux mixture
history of research and, 27–28
*Borrelia burgdorferi*
*Spiroplasma citri*
transmission and pathogenicity, 491
*Botrytis cinerea*
biotrophic plant-microbe interactions and, 659
pathogen self-defense and, 505–10, 519, 524
*Bradyrhizobium japonicum*
biotrophic plant-microbe interactions and, 646
perspectives on plant and soil nematology, 8–9
*Brassica* spp.
biotrophic plant-microbe interactions and, 659
*Gibberella* spp. and, 188
methyl bromide alternatives and, 343
perspectives on plant and soil nematology, 6
8-Br-cAMP
cAMP signaling in phytopathogenic fungi and, 416
*Bremia lactucae*
pathogen self-defense and, 518
Broad-spectrum resistance
biotrophic plant-microbe interactions and, 652–60
"Broken stick" model
ecology of mycorrhizae and, 271, 282, 293
Brome mosaic virus (BMV)
luteovirus-aphid interactions and, 547
RNA replication and
BMV polymerase, 83–86
cellular mRNA translation, 85–89
cellular mRNA turnover factors, 87–88
coregulation, 86–89
*ded1*, 84–85
future research, 91–92
gene expression and replication, 83–89
genome, 80–81
host factors, 81
host functions in BMV replication complex assembly, 89–91
introduction, 77–78
LSM1/LSM6, 87
membrane functions, 89–90
positive-strand RNA virus replication, 78–82
protein chaperone, 90–91
recruitment, 88–89
RNA helicases, 85–86
RNA2-specific subdomain, 84–85
translation, 84–89
tRNA-like elements, 88–89
yeast, 81–82
wheat streak mosaic virus population genetics and, 206

Bromoxynil
pesticide use in California and, 365–66
*Bromus inermis*
brome mosaic virus RNA replication and, 79
*Brugia* spp.
parasitic nematode interactions and, 256, 259
Bt hybrids
mycotoxin management in maize and, 108–10
*Buchnera* spp.
luteovirus-aphid interactions and, 547
Burdock mottle virus (BdMV)
*Benyviruses* and plasmodiophorid vectors, 567
*Burkholderia* spp.
biofilm formation by plant-associated bacteria and, 441, 443
pathogen self-defense and, 505
*Bursaphelenchus* spp.
parasitic nematode interactions and, 246, 248
perspectives on plant and soil nematology, 11
"Butterfly effect"
ecology of mycorrhizae and, 293

C

*Caenorhabditis elegans*
parasitic nematode interactions and, 247, 257
pathogen self-defense and, 508
perspectives on plant and soil nematology, 1, 4–5, 11–13, 19
transgenic nematode control and, 620–21, 624
*Cajanus* spp.
*Gibberella* spp. and, 186
Calendar spray pesticide programs
pesticide use in California and, 351, 359–62
California Pesticide Use Reports
patterns of pesticide use and, 351–70
CaMV35S promoter
transgenic nematode control and, 618–19, 626–27
Captan
pesticide use in California and, 354, 367
tomato spotted wilt in peanut and, 62
Carbamates
pesticide use in California and, 367
Carboxin
tomato spotted wilt in peanut and, 62
Catabolism
sugar
*Spiroplasma citri* transmission and pathogenicity, 490–91
*Catharanthus roseus*
*Spiroplasma citri* transmission and pathogenicity, 487
Cauliflower mosaic virus (CMV)
biotrophic plant-microbe interactions and, 659
*cbh-1* gene
cAMP signaling in phytopathogenic fungi and, 412
Cell-cell signaling
quorum sensing in plant-pathogenic bacteria and, 455, 467–69
Cell cycle
parasitic nematode interactions and, 245, 249–52, 258–59
Cell membrane
brome mosaic virus RNA replication and, 89–90
Cellular reprogramming
biotrophic plant-microbe interactions and, 648–50
*Celosia* spp.
*Gibberella* spp. and, 181
*Cephalosporium graminearum*
pathogen self-defense and, 519
*Ceratocystis ulmi*
cAMP signaling in phytopathogenic fungi and, 407
Cercosporin
pathogen self-defense and, 515, 520
Cereal yellow dwarf virus (CYDV)
luteovirus-aphid interactions and, 543, 545, 551
Chaperones
brome mosaic virus RNA replication and, 77, 90–91
"Cheaters"
ecology of mycorrhizae and, 285
Chemical control
tomato spotted wilt in peanut and, 63–65
Chemical defense
pathogen self-defense and, 519–20
Chemotherapy
history of research and, 29–30
Chlorimuron ethyl
tomato spotted wilt in peanut and, 65
Chlorophenyls
pesticide use in California and, 354

Chloropicrin
methyl bromide
alternatives and, 325, 328–29, 335, 338, 340
pesticide use in California and, 354
Chlorothalonil
pesticide use in California and, 354
Chlorpyrifos
tomato spotted wilt in peanut and, 63
*Cichorium endivia*
biofilm formation by plant-associated bacteria and, 435
*Cicinnobolus* spp.
history of research and, 45
*cioAB* genes
antibiotic production in root-colonizing *Pseudomonas* spp. and, 128
*Circulifer haematoceps*
*Spiroplasma citri*
transmission and pathogenicity, 485, 487, 491–94
*Citrobacter* spp.
biofilm formation by plant-associated bacteria and, 443
Citrus canker
crop biosecurity and, 158
Citrus greening bacteria
crop biosecurity and, 167
*Cladosporium* spp.
crop biosecurity and molecular-based diagnostics, 313
pathogen self-defense and, 507
*Clavibacter* spp.
biofilm formation by plant-associated bacteria and, 442
*Cochliobolus* spp.
cAMP signaling in phytopathogenic fungi and, 408
crop biosecurity and, 161, 167
pathogen self-defense and, 505, 516
*Coffea* spp.
*Gibberella* spp. and, 181, 191
*COI1* gene
biotrophic plant-microbe interactions and, 646
*colE1* gene
*Spiroplasma citri*
transmission and pathogenicity, 484
*Colletotrichum* spp.
biotrophic plant-microbe interactions and, 646, 660
cAMP signaling in phytopathogenic fungi and, 399, 414–15, 419
crop biosecurity and, 167, 313
optical disease detection and, 596
pathogen self-defense and, 522
Compatibility
biotrophic plant-microbe interactions and, 645–48
Competence
luteovirus-aphid interactions and, 556–59
Competition
pathogen self-defense and, 516–20
Complexity
ecology of mycorrhizae and, 285–95
Computer-based teaching tools
teaching plant pathology and, 388–89
Concanavalin A
transgenic nematode control and, 619
Conidia
cAMP signaling in phytopathogenic fungi and, 399
Connecticut Agricultural Experiment Station
history of research and, 32–33
Constitutive promoters
transgenic nematode control and, 627
Consumer-driven strategies
pesticide use in California and, 367–68
Containment trials
transgenic nematode control and, 617–18
Convergence points
biotrophic plant-microbe interactions and, 650–52
Convergent mechanisms
parasitic nematode interactions and, 245
Coopting host plant defenses
pathogen self-defense and, 519
Copper
history of research and, 28–29
Cordycepin
cAMP signaling in phytopathogenic fungi and, 417
Coregulation
brome mosaic virus RNA replication and, 86–89
Corn crop
history of research and, 31, 35
Corporations
pesticide use in California and, 368–70
*Cortinarius* spp.
ecology of mycorrhizae and, 277
Cosmopolitanism

biofilm formation by plant-associated bacteria and, 440–43
Cowpea mosaic virus (CMV)
luteovirus-aphid interactions and, 547
Cowpea trypsin inhibitor (CpTI)
transgenic nematode control and, 616, 618–19, 630
*cpg* genes
cAMP signaling in phytopathogenic fungi and, 408–9, 412–14, 417
*cpk* genes
cAMP signaling in phytopathogenic fungi and, 410–12
*cpkA* gene
biotrophic plant-microbe interactions and, 644
*Criconemella* spp.
perspectives on plant and soil nematology, 11
*Cronartium ribicola*
history of research and, 46
Crop biosecurity
phytosanitary issues and molecular-based diagnostics
bacteria, 310–11
changes in diagnostics infrastructure, 317–18
conclusions, 318–19
diagnosing diesease under field conditions, 307
DNA-based PCR techniques, 308–15
fungi, 313–14
future technologies, 315–16
high-risk pathogens, 307
introduction, 305–7
nematodes, 314–15
pathogens, 305–7
PCR protocols to detect plant pathogens, 310–15
phytosanitary protocols, 316–18
plant pathogen detection and diagnostic technologies, 307–8
protecting avenues of entry, 317
quarantine and regulation, 316–17
real-time fluorescent-based PCR, 309–10
serological assays, 308
soft targets, 306–7
viruses, 311–12
threat of plant pathogens as weapons against U.S. crops and
allegations, 163
biological weapons, 160–64
conclusions, 171–72
costs, 158–60
drug control program, 163–64
epidemiology, 167–70
general concerns, 156–57
impact, 158–60
introduction, 155–56
models, 167–70
preparedness, 170–71
risk analysis, 167–70
state programs, 160–63
targeting crops, 164–65
threatening pathogens, 165–70
vulnerability, 157–58
Crop rotation
methyl bromide alternatives and, 343–44
Crops
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
history of research and, 27–31, 35, 43
mycotoxin management in maize and, 99–110
optical disease detection and, 593–609
perspectives on plant and soil nematology, 1–3, 5, 7, 9–10
Cross-talk
cAMP signaling in phytopathogenic fungi and, 399, 403
Crown gall
quorum sensing in plant-pathogenic bacteria and, 457–60
*Cryphonectria parasitica*
cAMP signaling in phytopathogenic fungi and, 399, 408, 412–14, 417
pathogen self-defense and, 522–24
Cry proteins
transgenic nematode control and, 620–21, 632
*Cryptococcus neoformans*
cAMP signaling in phytopathogenic fungi and, 403–4, 419
*ctg1* gene
cAMP signaling in phytopathogenic fungi and, 409, 414–15, 417
*Ct-PKA* genes
cAMP signaling in phytopathogenic fungi and, 410, 414
*Cucurbitaria laburni*
history of research and, 42
Cultural practices
mycotoxin management in maize and, 99–104
Cuprous oxide

history of research and, 29
*Curtobacterium* spp.
biofilm formation by plant-associated bacteria and, 442
Cyanogenesis
antibiotic production in root-colonizing *Pseudomonas* spp. and, 127–30
Cyclic adenosine monophosphate (cAMP) signaling
phytopathogenic fungi
biocontrol, 418–19
*Colletotrichum* spp., 414–15
cross-talk, 403
*Cryphonectria parasitica*, 412–14
*Erisyphe graminis*, 415–16
fungicide resistance, 405–7
*Fusarium* spp., 416–17
future research, 419–20
introduction, 399–401
killer phenotype establishment, 405–7
*Magnoporthe grisea*, 407–12
MAPK pathway, 403
mating, 402
mating-type compatibility, 401–2
morphogenesis, 402–3
plant disease progression, 403–4
sclerotia, 417
summary, 419–20
*Trichoderma* spp., 418–19
*Ustilago maydis*, 401–7
virulence, 402–3
*Cylindrocarpon* spp.
methyl bromide alternatives and, 339
Cystine protease inhibitors (cystatins)
transgenic nematode control and, 616–18, 630–32
*Cytisus laburnum*
history of research and, 42
Cytoplasmic recognition
*Pto*-mediated resistance to bacterial speck disease in tomato and, 223–24
Cytoskeleton
*Spiroplasma citri* transmission and pathogenicity, 486–87

**D**

*Datura* spp.
tomato spotted wilt in peanut and, 63
DDT
history of research and, 33
Decision-making tools
teaching plant pathology and, 388–89
*ded1* gene
brome mosaic virus RNA replication and, 83–86
Defense suppression
biotrophic plant-microbe interactions and, 641–60
Degradation
fumigant
methyl bromide alternatives and, 337
toxin
pathogen self-defense and, 514–15
*Delisea pulchra*
biofilm formation by plant-associated bacteria and, 437
Deoxynivalenol (DON)
*Gibberella* spp. and, 183, 191
mycotoxin management in maize and, 99–102, 105, 108–10
pathogen self-defense and, 514–15
*Deroceras reticulatum*
transgenic nematode control and, 631
Developing countries
mycotoxin management in maize and, 99
2,4-Diacetylphloroglucinol (2,4-DAPG)
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 120–25, 127, 129–30, 133
pathogen self-defense and, 506–7, 509, 511–15
*Dianthus* spp.
*Gibberella* spp. and, 188
*Diaporthe phaseolorum*
crop biosecurity and molecular-based diagnostics, 313
Dicarboximides
pesticide use in California and, 354
1,3-Dichloropropene (1,3-D)
methyl bromide alternatives and, 325, 329–30, 334–36, 340
pesticide use in California and, 354, 367
Dicofol
pesticide use in California and, 367
Dieldrin
history of research and, 33
1,8-Dihydroxynaphthalene (DHN)
pathogen self-defense and, 516
Dimethoate
pesticide use in California and, 367
*Diptera*

transgenic nematode control and, 620
*Dirofilaria immitis*
parasitic nematode interactions and, 260
Disease resistance
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215–37
Disease susceptibility
biotrophic plant-microbe interactions and, 641–60
Distance learning
teaching plant pathology and, 377, 379, 391
Dithiocarbamates
pesticide use in California and, 354
*Ditylenchus* spp.
crop biosecurity and molecular-based diagnostics, 315
parasitic nematode interactions and, 247
perspectives on plant and soil nematology, 2, 13
Diversity
ecology of mycorrhizae and, 272–73, 283–93
wheat streak mosaic virus population genetics and, 199–211
DNA shuffling
transgenic nematode control and, 624
*Dothistroma pini*
crop biosecurity and, 167
Downstream defenses
*Pto*-mediated resistance to bacterial speck disease in tomato and, 235–37
Drip applications
methyl bromide alternatives and, 334–35
*Drosophila* spp.
biotrophic plant-microbe interactions and, 649
luteovirus-aphid interactions and, 561
*Pto*-mediated resistance to bacterial speck disease in tomato and, 220, 236
Drug control program
crop biosecurity and, 163–64
Drying
mycotoxin management in maize and, 102–3
Durable host resistance
perspectives on plant and soil nematology, 16

**E**

*ech42* gene
pathogen self-defense and, 514
*Echinocholoa* spp.
wheat streak mosaic virus population genetics and, 199
Ecology
*Benyviruses* and plasmodiophorid vectors, 567–85
mycorrhizae and, 271–97
pathogen self-defense and, 501
perspectives on plant and soil nematology, 1, 14–16
Economics
parasitic nematode interactions and, 245–46
*edr1* mutant
biotrophic plant-microbe interactions and, 652, 658–59
*EDS1* gene
biotrophic plant-microbe interactions and, 659
Educational research
teaching plant pathology and, 382
Effectors
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 218–19, 223–27, 232–35
transgenic nematode control and, 615–19, 627, 632
Efflux pumps
bacterial
pathogen self-defense and, 501, 509
*Empusa* spp.
history of research and, 44
*Enamovirus* spp.
luteovirus-aphid interactions and, 539
Endoplasmic reticulum
brome mosaic virus RNA replication and, 77, 81–82, 86, 88
*Endothia parasitica*
pathogen self-defense and, 522
Endotoxins
transgenic nematode control and, 620–21, 631
Enniatins
*Gibberella* spp. and, 193
*enod40* gene
parasitic nematode interactions and, 252
*Enterobacter* spp.
biofilm formation by plant-associated bacteria and, 437–38, 443
pathogen self-defense and, 505
*Entomophthora* spp.
history of research and, 44
Environmental concerns
*Benyviruses* and plasmodiophorid vectors, 570
pathogen self-defense and, 518–19
pesticide use in California and, 351, 360, 362, 368–70

transgenic nematode control and, 630–32
Epidemics
tomato spotted wilt in peanut and, 53–68
Epidemiology
*Benyviruses* and plasmodiophorid vectors, 567–85
crop biosecurity and, 167–70
history of research and, 30–32
optical disease detection and, 593–609
EPIDEM simulator
history of research and, 32
EPIMAY simulator
history of research and, 32
Epiphytic biofilms
biofilm formation by plant-associated bacteria and, 436–37, 443
Epiphytic fitness
quorum sensing in plant-pathogenic bacteria and, 455, 464–65
Epiphytotics
pesticide use in California and, 368
Ergosterol
mycotoxin management in maize and, 109
*Erwinia* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 134
biofilm formation by plant-associated bacteria and, 441
crop biosecurity and, 167
pathogen self-defense and, 506, 509, 519–20, 527
pesticide use in California and, 364
*Pto*-mediated resistance to bacterial speck disease in tomato and, 224
quorum sensing in plant-pathogenic bacteria and, 455, 462–63
*Spiroplasma citri* transmission and pathogenicity, 489
*Erysiphe* spp.
biotrophic plant-microbe interactions and, 643, 645, 657–59
cAMP signaling in phytopathogenic fungi and, 399, 415–16, 419
*Pto*-mediated resistance to bacterial speck disease in tomato and, 230
*Escherichia coli*
antibiotic production in root-colonizing *Pseudomonas* spp. and, 123, 126, 132, 134–35
biofilm formation by plant-associated bacteria and, 444
brome mosaic virus RNA replication and, 90–91
crop biosecurity and molecular-based diagnostics, 306, 311
luteovirus-aphid interactions and, 548
pathogen self-defense and, 525
*Pto*-mediated resistance to bacterial speck disease in tomato and, 229
*Spiroplasma citri* transmission and pathogenicity, 484
transgenic nematode control and, 620
Estrogenic compounds
mycotoxin management in maize and, 99, 102, 108–9
Ethion
pesticide use in California and, 367
Ethylenebisdithiocarbamates (EBDCs)
history of research and, 29
*Eupteryx aurata*
transgenic nematode control and, 631
European corn borer
pesticide use in California and, 366
Evolution
biotrophic plant-microbe interactions and, 650–52
ecology of mycorrhizae and, 272–73
parasitic nematode interactions and, 246–47
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 220–21, 231–32
wheat streak mosaic virus population genetics and, 199–211
Excretory-secretory products
parasitic nematode interactions and, 245, 256–57, 259–62
*Exophiala spinifera*
mycotoxin management in maize and, 107
"Externalities"
pesticide use in California and, 369

## F

Fatty acid antibiotics
pathogen self-defense and, 506
Feeding cell
parasitic nematode interactions and, 245
transgenic nematode control and, 615, 619, 629–30
Feeding structures

specialized
biotrophic plant-microbe interactions and, 641–60
Fenarimol
pesticide use in California and, 355, 367
*Fen* gene
*Pto*-mediated resistance to bacterial speck disease in tomato and, 218, 220, 222
Fenpiclonil
pathogen self-defense and, 509
Fertilization management
mycotoxin management in maize and, 99, 102
*fga1* gene
cAMP signaling in phytopathogenic fungi and, 409, 417
Fibrillar cytoskeleton proteins
*Spiroplasma citri*
transmission and pathogenicity, 486–87
Field crop diseases
targeted control of optical disease detection and, 593–609
*fis1* gene
biotrophic plant-microbe interactions and, 648
Fitness
quorum sensing in plant-pathogenic bacteria and, 455, 464–65
Flavonoids
cAMP signaling in phytopathogenic fungi and, 417
Fluconazole
cAMP signaling in phytopathogenic fungi and, 406
Fludioxinil
pathogen self-defense and, 509
Fluorescein isothiocyanate (FITC)
transgenic nematode control and, 621, 624
Fluorescent pseudomonads
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
Foliar disease
optical disease detection and, 593–609
Food quality management
biofilm formation by plant-associated bacteria and, 429, 444–45
Food safety
transgenic nematode control and, 630
*Frankliniella* spp.
tomato spotted wilt in peanut and, 53–68
Fructose
*Spiroplasma citri*
transmission and pathogenicity, 483–96
*fru* genes
*Spiroplasma citri*
transmission and pathogenicity, 484, 488, 490
Fruit production
pesticide use in California and, 351–70
Fumigants
methyl bromide alternatives and, 328–33, 337–39
pesticide use in California and, 351–70
Fumonisins
*Gibberella* spp. and, 184–86, 189–90, 192
pesticide use in California and, 366
mycotoxin management in maize and, 99–100, 102, 106–10
Functional diversity
ecology of mycorrhizae and, 272–73, 283–93
Fungi
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
biotrophic plant-microbe interactions and, 641–60
cAMP signaling in phytopathogenic fungi and, 399–420
crop biosecurity and, 161, 163–64, 305, 313–14
ecology of mycorrhizae and, 271–97
*Gibberella* spp. and, 177
history of research and, 44–45, 51
mycotoxin management in maize and, 99–110
pathogen self-defense and, 501–27
transgenic nematode control and, 631
Fungicides
cAMP signaling in phytopathogenic fungi and, 405–7
history of research and, 27–31
optical disease detection and, 594–95
pesticide use in California and, 351–70
*Furovirus* spp.
*Benyviruses* and plasmodiophorid vectors, 567–85
Fusaproliferin
*Gibberella* spp. and, 184, 189
Fusarins
*Gibberella* spp. and, 191

*Fusarium* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 120, 124, 129, 132
cAMP signaling in phytopathogenic fungi and, 399, 416–17
crop biosecurity and, 159, 164
*Gibberella* spp. and, 177–93
methyl bromide alternatives and, 340, 342
mycotoxin management in maize and, 99–101, 105–10
pathogen self-defense and, 506–7, 511–16, 518–19, 521–22
pesticide use in California and, 366

G

GacS/GacA two-component system
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 132–35
*Gaeumannomyces graminis*
antibiotic production in root-colonizing *Pseudomonas* spp. and, 118
biotrophic plant-microbe interactions and, 652
cAMP signaling in phytopathogenic fungi and, 406
optical disease detection and, 602
pathogen self-defense and, 505–6, 516, 521
Games
teaching plant pathology and, 381–82
Gene silencing
posttranscriptional
antibiotic production in root-colonizing *Pseudomonas* spp. and, 136
Genetically modified (GM) crops
pesticide use in California and, 351, 365–66
transgenic nematode control and, 615, 630
Genetic engineering
mycotoxin management in maize and, 99, 107
perspectives on plant and soil nematology, 13–14
transgenic nematode control and, 615–32
Genetic resistance
biotrophic plant-microbe interactions and, 641–60
mycotoxin management in maize and, 99, 104–10
Genomics
antibiotic production in root-colonizing *Pseudomonas* spp. and, 128
brome mosaic virus RNA replication and, 80–81
*Gibberella* spp. and, 177, 193
parasitic nematode interactions and, 260
wheat streak mosaic virus population genetics and, 199–211
Gentamycin
*Spiroplasma citri* transmission and pathogenicity, 484
*Geum urbanum*
*Gibberella* spp. and, 191
*gfp* genes
antibiotic production in root-colonizing *Pseudomonas* spp. and, 122, 125
*Gibberella* spp.
discussion, 191–93
*G. avenaceae*, 179–80
*G. baccata*, 180–81
*G. circinata*, 181–82
*G. coronicola*, 182–83
*G. fujikuroi*, 183–84
*G. intermedia*, 184–85
*G. monoliformis*, 185–86
*G. nygamai*, 186
*G. pulicaris*, 187–88
*G. subglutinans*, 188–89
*G. thapsina*, 189–90
*G. zeae*, 190–91
introduction, 177–79
mycotoxin management in maize and, 99, 101, 104–6, 109
GINP motif
*Pto*-mediated resistance to bacterial speck disease in tomato and, 225
*Gliocladium* spp.
pathogen self-defense and, 507
pesticide use in California and, 362
*Globodera* spp.
crop biosecurity and molecular-based diagnostics, 315
optical disease detection and, 602
parasitic nematode interactions and, 248, 256, 260
perspectives on plant and soil nematology, 6, 12–13
transgenic nematode control and, 616–19, 621, 623–24, 627–28, 631
*Gloeocercospora sorghi*
*pathogen self-defense and*, 506, 516
*Glomus* spp.

ecology of mycorrhizae and, 272, 278–79, 292, 295
*gltB* gene
pathogen self-defense and, 512, 517
Glucose
*Spiroplasma citri* transmission and pathogenicity, 490–91
Glyphosate
pesticide use in California and, 365–66
*gna-1* gene
cAMP signaling in phytopathogenic fungi and, 412
*gpa* genes
cAMP signaling in phytopathogenic fungi and, 402–5, 409
*Gpa2* gene
parasitic nematode interactions and, 255–56
transgenic nematode control and, 623
Graduate education
teaching plant pathology and, 382
Grain storage practices
mycotoxin management in maize and, 99
Green fluorescent protein (GFP)
*Spiroplasma citri* transmission and pathogenicity, 493–94
transgenic nematode control and, 619
Groundnut ringspot virus (GRSV)
tomato spotted wilt in peanut and, 54
Group learning
teaching plant pathology and, 377, 381
Growers
pesticide use in California and, 368–70
*GRP94* gene
biotrophic plant-microbe interactions and, 647
Guard hypothesis
*Pto*-mediated resistance to bacterial speck disease in tomato and, 232
*GUS* reporter gene
biotrophic plant-microbe interactions and, 648
Gut
luteovirus-aphid interactions and, 539, 544–47
Gypsy moth
history of research and, 33

**H**

*H1* gene
parasitic nematode interactions and, 256
H7 compound
cAMP signaling in phytopathogenic fungi and, 416
H89 compound
cAMP signaling in phytopathogenic fungi and, 416
Harvest management
mycotoxin management in maize and, 102–3
Haustorium
biotrophic plant-microbe interactions and, 641–60
*hcnABC* operon
antibiotic production in root-colonizing *Pseudomonas* spp. and, 121, 126, 128, 133–35
*Hebeloma crustiliniforme*
ecology of mycorrhizae and, 277, 286
Helicases
brome mosaic virus RNA replication and, 85–86
Helicity
*Spiroplasma citri* transmission and pathogenicity, 483, 486–87
*Helminthosporium* spp.
crop biosecurity and molecular-based diagnostics, 313
pathogen self-defense and, 518
Hemocoel
luteovirus-aphid interactions and, 547–48
Herbicides
crop biosecurity and, 160, 163–64
pesticide use in California and, 365–66
tomato spotted wilt in peanut and, 64, 66
*Hero* gene
parasitic nematode interactions and, 255
transgenic nematode control and, 623
*Heterodera* spp.
crop biosecurity and molecular-based diagnostics, 315
optical disease detection and, 597
parasitic nematode interactions and, 246–48
perspectives on plant and soil nematology, 6, 8–9, 11, 13–16
transgenic nematode control and, 616–19, 624, 627, 629
*Heterorhanditis* spp.
perspectives on plant and soil nematology, 15
*hgcp*-I clone
transgenic nematode control and, 617

*hgl1* gene
cAMP signaling in phytopathogenic fungi and, 404–6
Homologous/homoplastic mechanisms
parasitic nematode interactions and, 245
Homoserine lactone
quorum sensing in plant-pathogenic bacteria and, 455–72
*Hordeum vulgare*
*Gibberella* spp. and, 191
wheat streak mosaic virus population genetics and, 199
Horsfall JG, 27–35
Host cells
disease resistance reprogramming and, 641–60
Host defense responses
parasitic nematode interactions and, 254–56, 259–60
pathogen self-defense and, 519
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 235–37
Host invasion
parasitic nematode interactions and, 249, 257
Host/parasite interactions
parasitic nematode interactions and, 245–62
Host range specificity
*Benyviruses* and plasmodiophorid vectors, 570–71
Host resistance
methyl bromide alternatives and, 325, 341–42
perspectives on plant and soil nematology, 1, 8, 13–14, 16
*Hrp* genes
pathogen self-defense and, 519
quorum sensing in plant-pathogenic bacteria and, 455–72
*Hs1$^{pro}$* genes
parasitic nematode interactions and, 255
transgenic nematode control and, 622
HT crops
pesticide use in California and, 365–66
*HvSgt1* gene
biotrophic plant-microbe interactions and, 651
*HXT1* gene
biotrophic plant-microbe interactions and, 642
Hydrazoic acid
methyl bromide alternatives and, 333
Hydrogen cyanide (HCN)
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 119–21, 133
pathogen self-defense and, 506, 515
1-Hydroxyphenazine (POH)
pathogen self-defense and, 506, 508
Hypersensitive response
pathogen self-defense and, 519
*Hypholoma fasculare*
pathogen self-defense and, 521
Hypovirulence
pathogen self-defense and, 501, 522–24
*Hypovirus* spp.
pathogen self-defense and, 523

I

IBMX
cAMP signaling in phytopathogenic fungi and, 417–18
Imazapic
tomato spotted wilt in peanut and, 65
*imm* genes
pathogen self-defense and, 510
Immune system
parasitic nematode interactions and, 256
Impatiens necrotic spot virus (INSV)
tomato spotted wilt in peanut and, 54
*inaZ* gene
antibiotic production in root-colonizing *Pseudomonas* spp. and, 122, 125
Induced sporulation
pathogen self-defense and, 521–22
Induced systemic resistance (ISR)
antibiotic production in root-colonizing *Pseudomonas* spp. and, 119, 124
Inoculum density and distribution
*Benyviruses* and plasmodiophorid vectors, 581–82
Inoculum potential
history of research and, 30
Inquiry-based learning
teaching plant pathology and, 377
Insecticides
pesticide use in California and, 351–70
tomato spotted wilt in peanut and, 63–65

"Insurance effect"
ecology of mycorrhizae and, 285
Integrated disease management
tomato spotted wilt in peanut and, 57–58
Integrated pest management (IPM)
methyl bromide alternatives and, 325, 344
optical disease detection and, 595
perspectives on plant and soil nematology, 4, 8, 15–17
pesticide use in California and, 351, 356–62, 369–71
tomato spotted wilt in peanut and, 66–67
Internal ribosome entry site (IRES)
transgenic nematode control and, 619
Internet
teaching plant pathology and, 377, 390–91
Interspecies signaling
pathogen self-defense and, 501, 511–14
Intracellular recognition
*Pto*-mediated resistance to bacterial speck disease in tomato and, 223–25
Intra-plant bottleneck
wheat streak mosaic virus population genetics and, 205–7
Introductory courses
teaching plant pathology and, 379
Iodomethane
methyl bromide alternatives and, 331–32
*Ipomea batatas*
*Gibberella* spp. and, 181
Iprodione
pesticide use in California and, 354, 367
Irrigation management
mycotoxin management in maize and, 99, 101
*Isaria* spp.
history of research and, 44–45

K

K-12 teachers and students
outreach to teaching plant pathology and, 385
K84 compound
pathogen self-defense and, 510–11
Kanosamine
pathogen self-defense and, 509
Karnal bunt
crop biosecurity and, 165
Killer phenotype
cAMP signaling in phytopathogenic fungi and, 405–7
*Klebsiella pneumoniae*
biofilm formation by plant-associated bacteria and, 443
Kresoxim-methyl
pesticide use in California and, 355
KT5720
cAMP signaling in phytopathogenic fungi and, 414, 416

L

*Lablab purpureus*
mycotoxin management in maize and, 107
*lac-1* gene
cAMP signaling in phytopathogenic fungi and, 412–13
*Lactarius* spp.
ecology of mycorrhizae and, 277, 286
*Lactobacillus* spp.
pathogen self-defense and, 521
*lacZ* operon
antibiotic production in root-colonizing *Pseudomonas* spp. and, 122, 125
pathogen self-defense and, 513
Latent infections
optical disease detection and, 603–5
Leafhopper vector
*Spiroplasma citri* transmission and pathogenicity, 483–96
*Lea* genes
transgenic nematode control and, 628
Lectins
transgenic nematode control and, 619–20
*Lepidoptera*
perspectives on plant and soil nematology, 16
transgenic nematode control and, 620
*Leptinotarsa decemlineata*
crop biosecurity and, 161
*Leptosphaeria maculans*
pathogen self-defense and, 516
Levamisol
transgenic nematode control and, 621
*Liberobacter* spp.
crop biosecurity and, 167
Lifelong learning
teaching plant pathology and, 385–86
Limited variation
wheat streak mosaic virus population genetics and, 199–211

Lipid modifications
brome mosaic virus RNA replication and, 77
Lipopeptides
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 120, 122
*Lisea fujikuroi*
*Gibberella* spp. and, 183
*Listeria monocytogenes*
biofilm formation by plant-associated bacteria and, 444
*Longidorus* spp.
parasitic nematode interactions and, 246, 251
perspectives on plant and soil nematology, 7, 11
*lon* protease
antibiotic production in root-colonizing *Pseudomonas* spp. and, 135
Loss of registration
pesticide use in California and, 366–67
*LSM* genes
brome mosaic virus RNA replication and, 87–88, 91
Luteovirus-aphid interactions
genetics, 552, 556–59
gut, 544–47
hemocoel, 547–48
introduction, 539
regulation, 552, 556–59
salivary gland, 548–52
structural proteins, 552–56
summary, 559–61
transmission, 540–52
vector competence, 556–59
vector-specificity model, 542–44
virus acquisition, 544–47
*luxAB* gene
antibiotic production in root-colonizing *Pseudomonas* spp. and, 122
*Lycopersicon* spp.
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215–37
tomato spotted wilt in peanut and, 53
*Lycopodium* spp.
biofilm formation by plant-associated bacteria and, 441–42
*Lymantria monacha*
history of research and, 45

**M**

*mac1* gene
cAMP signaling in phytopathogenic fungi and, 409–12
*Macrosiphum* spp.
luteovirus-aphid interactions and, 542
transgenic nematode control and, 623
*mag* genes
cAMP signaling in phytopathogenic fungi and, 408–9
*Magnaporthe* spp.
biotrophic plant-microbe interactions and, 644, 653
cAMP signaling in phytopathogenic fungi and, 399, 407–12, 415–17
pathogen self-defense and, 516
Major sperm protein
transgenic nematode control and, 624–25
Malathion
pesticide use in California and, 367
Mammalian hosts (MPN)
parasitic nematode interactions and, 245–62
Mancozeb
pesticide use in California and, 354, 367
Mandated reduction
pesticide use in California and, 366–67
Maneb
pesticide use in California and, 354, 367
Manganese
history of research and, 29
*Mangifera indica*
*Gibberella* spp. and, 184
*map-1* gene
parasitic nematode interactions and, 256
MAPK pathway
cAMP signaling in phytopathogenic fungi and, 403
*MAT* genes
*Gibberella* spp. and, 178, 182, 189
Mating-type compatibility
cAMP signaling in phytopathogenic fungi and, 401–3
*mav4* monoclonal antibody
luteovirus-aphid interactions and, 556–57
Mebendazole (MBZ)
parasitic nematode interactions and, 258
*Medicago truncatula*
biotrophic plant-microbe interactions and, 643
Mefanoxam
pesticide use in California and, 355
*Melampsora lini*
biotrophic plant-microbe interactions and, 648
*Meloidogyne* spp.
crop biosecurity and molecular-based diagnostics, 314–15
methyl bromide alternatives and, 333, 338

parasitic nematode interactions and, 246–47, 249, 251
pathogen self-defense and, 522
perspectives on plant and soil nematology, 1, 5–6, 8–9, 11–12, 15, 19
transgenic nematode control and, 616–19, 624–25, 627–29
*Mesocriconema* spp.
perspectives on plant and soil nematology, 7
Messenger RNA (mRNA)
brome mosaic virus RNA replication and, 85–88
Metabolism
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117
*Spiroplasma citri* transmission and pathogenicity, 483, 487–89
Metacommunity dynamics
ecology of mycorrhizae and, 293–94
Metalaxyl
pesticide use in California and, 355
Metam sodium
methyl bromide alternatives and, 325
pesticide use in California and, 354
Methyl bromide
alternatives to
additional considerations for alternative fumigants, 337–39
application technologies, 334–37
biological control, 340–41
chloropicrin, 328–29
crop rotation, 343–44
current registered alternative fumigants, 328–31
current status of phase-out, 327–28
1,3-dichloropropene, 329–30
drip applications, 334–35
fumigant degradation in soil, 337
future research, 344–45
host resistance, 341–42
integrated control, 344
introduction, 325–27
knowledge of pathogens costraining production, 339–40
methyl iodide (iodomethane), 331–32
methyl isothiocyanate, 330–31
nonchemical approaches for disease management, 339–44
plant growth promotion, 340–41
plastic films, 335–37
potential alternative fumigants, 331–33
potential pesticides with reduced application risk, 333–34
propargyl bromide, 332
soil amendment, 343–44
soil microbiology, 340
solarization, 342–43
pesticide use in California and, 354, 366–67
Methyl iodide
methyl bromide alternatives and, 331–32
Methyl isothiocyanate (MITC)
methyl bromide alternatives and, 330–31, 335, 337, 340
Methyl parathion
pesticide use in California and, 367
*Metopolophium dirhodum*
luteovirus-aphid interactions and, 545, 551
*mfa* genes
cAMP signaling in phytopathogenic fungi and, 401, 403
*Mi1* gene
parasitic nematode interactions and, 255
*Pto*-mediated resistance to bacterial speck disease in tomato and, 222
transgenic nematode control and, 622–23
Microbial aggregates
biofilm formation by plant-associated bacteria and, 429–46
Microbial antagonism
pathogen self-defense and, 501–27
Microbial biocontrol agents (MBA)
pesticide use in California and, 351, 362–65
Microbial ecology
pathogen self-defense and, 501
Microbiology courses
teaching plant pathology and, 383
*Micrococcus* spp.
biofilm formation by plant-associated bacteria and, 442
*Microcyclus ulei*
crop biosecurity and, 167
pathogen self-defense and, 506, 516
*Microsphaera alphitoides*
crop biosecurity and

molecular-based diagnostics, 313
*Mi* gene
perspectives on plant and soil nematology, 14
transgenic nematode control and, 616
Mildews
cAMP signaling in phytopathogenic fungi and, 399–420
*mis1* gene
biotrophic plant-microbe interactions and, 648
Mistletoe
history of research and, 41, 44, 48
*mla* genes
biotrophic plant-microbe interactions and, 645, 647–52
*mlo* gene
biotrophic plant-microbe interactions and, 647, 652–57
Moisture
soil
*Benyviruses* and plasmodiophorid vectors, 582
Molecular chaperones
brome mosaic virus RNA replication and, 77, 90–91
Molecular sieve
transgenic nematode control and, 619
Mollicutes
*Spiroplasma citri* transmission and pathogenicity, 483–96
Moniliformin
*Gibberella* spp. and, 184–86, 189
*Monosporascus cannonballus*
methyl bromide alternatives and, 342
Morphogenesis
cAMP signaling in phytopathogenic fungi and, 399, 400–3
Morphological adaptations
parasitic nematode interactions and, 248–49
*Morus* spp.
*Gibberella* spp. and, 181
Most common recent ancestor (MCRA)
wheat streak mosaic virus population genetics and, 208–10
Most probable number (MPN) technique
*Benyviruses* and plasmodiophorid vectors, 573
Motility
quorum sensing in plant-pathogenic bacteria and, 455–72
*Spiroplasma citri* transmission and pathogenicity, 485–87
*MPG1* gene
cAMP signaling in phytopathogenic fungi and, 407, 416
MPN infections
parasitic nematode interactions and, 245–62
*mreB* genes
*Spiroplasma citri* transmission and pathogenicity, 483, 487
*MtPT4* gene
biotrophic plant-microbe interactions and, 643
*Musa* spp.
*Gibberella* spp. and, 184–85, 190
Mutualism
pathogen self-defense and, 501
Myclobutanil
pesticide use in California and, 354
Mycoherbicides
crop biosecurity and, 163–64
*Mycoplasma capricolum*
*Spiroplasma citri* transmission and pathogenicity, 491
Mycorrhizae
ecology of
complexity, 285–95
conclusions, 296–97
dynamics, 273–75
evolution, 272–73
functional diversity, 272–93
functioning, 294–95
introduction, 271
metacommunity dynamics, 293–94
resources, 273–80
species richness, composition, and dynamics, 281–82
stoichiometry, 273–75
*Mycosphaerella graminicola*
pathogen self-defense and, 506, 508
Mycotoxins
crop biosecurity and, 159–60
*Gibberella* spp. and, 177
management in maize
conclusions, 110
cultural practices, 100–4
drying, 102–3
genetic resistance, 104–10
harvest, 102–3
introduction, 99–100
native resistance, 104–6
postharvest management, 103–4
preharvest, 100–2
transgenic resistance, 106–10
pesticide use in California

and, 366
*Myrothecium verrucaria*
pesticide use in California and, 362
*Myzus persicae*
luteovirus-aphid interactions and, 544, 547, 552, 558
transgenic nematode control and, 623, 631

N

Nabam
history of research and, 29
*Naccobus* spp.
parasitic nematode interactions and, 247, 251
transgenic nematode control and, 618
*nag1* gene
pathogen self-defense and, 512, 514
National Academy of Science (NAS)
science policy and, 34–35
National Research Council (NRC)
U.S.
agricultural bioterrorism and, 155–72
Native resistance
mycotoxin management in maize and, 104–6, 110
Natural resistance genes
transgenic nematode control and, 621–24
Nature conservation
history of, 41, 50
*Necator americanus*
parasitic nematode interactions and, 259
*Nectria* spp.
*Gibberella* spp. and, 179
pathogen self-defense and, 515
Nematicides
perspectives on plant and soil nematology, 1
Nematode resistance
engineering plants for
additive resistance, 618–19
*Bacillus thuringiensis* endotoxins, 620–21
biosafety, 630–32
constitutive promoters, 627
containment trials, 617–18
cystine protease inhibitors (cystatins), 616–18
effectors, 616–27
environmental concerns, 630–32
feeding-cell attenuation, 629–30
feeding tube as molecular sieve, 619
field trials, 618
food safety, 630
gene function, 624–32
introduction, 615–16
lectins, 619–20
modifying promoter activity, 629
natural resistance genes, 621–24
peptides, 621
potential transgenic resistance, 624–25
promoters for transgenic control, 625–30
protease inhibitors, 616–18
*R* genes, 618, 621–24
RNAi, 624–25
roots, 627–29
serine protease inhibitors, 616
stacking, 618
Nematodes
crop biosecurity and, 161, 305, 314–15
parasitic nematode interactions and, 245–62
pathogen self-defense and, 522
perspectives on plant and soil nematology, 1–21
*Neurospora crassa*
cAMP signaling in phytopathogenic fungi and, 400, 409, 412, 417–18
*Gibberella* spp. and, 178
New audiences
teaching plant pathology and, 383–86
*Nicotiana* spp.
biotrophic plant-microbe interactions and, 650–51
*Gibberella* spp. and, 184, 186
optical disease detection and, 596
*Pto*-mediated resistance to bacterial speck disease in tomato and, 221–23, 227, 235
*Nippostrongylus braziliensis*
parasitic nematode interactions and, 260
*Nitrosomonas* spp.
biofilm formation by plant-associated bacteria and, 439
Nivalenol
*Gibberella* spp. and, 183, 191
mycotoxin management in maize and, 108
Nonscience students
courses for
teaching plant pathology and, 383–85
*Nosema locustae*
pesticide use in California and, 363
*NPR1* gene
biotrophic plant-microbe

interactions and, 646
Nut production
pesticide use in California and, 351–70
Nutrient sensing
cAMP signaling in phytopathogenic fungi and, 399

O

Oat necrotic rattle virus (ONMV)
wheat streak mosaic virus population genetics and, 209–10
*Oc* genes
transgenic nematode control and, 617–19, 630
Octopamine
transgenic nematode control and, 624
*Oiidium lycopersici*
biotrophic plant-microbe interactions and, 659
*OLE1* gene
brome mosaic virus RNA replication and, 88–91
*Onchocerca volvulus*
parasitic nematode interactions and, 250, 260
*Oospora verticilloides*
*Gibberella* spp. and, 185
Optical canopy measurement
targeted control of field crop diseases and
case study, 605–9
conclusions, 609
effect of disease on optical characteristics of crops, 595–97
fungicides, 594–95
introduction, 593–95
latent infections and disease spread, 603–5
measurement techniques, 598–601
optical detection systems, 595–601
spatial disease control strategies, 601–9
wheat disease control, 594–95
Organic agriculture
perspectives on plant and soil nematology, 16–17
pesticide use in California and, 367–68
Organic sulfur compounds
history of research and, 28–29
Organophosphate insecticides
pesticide use in California and, 351, 358–60
*oriC* replication origin
*Spiroplasma citri*
transmission and pathogenicity, 484–85
*Oryza sativa*
biotrophic plant-microbe interactions and, 654
*Gibberella* spp. and, 177, 184
Outreach
teaching plant pathology and, 385
Oxalate
pathogen self-defense and, 518
Oxidation
history of research and, 28–29
Ozone
methyl bromide alternatives and, 332

P

*PAD4* gene
biotrophic plant-microbe interactions and, 646
*Paenibacillus polymyxa*
biofilm formation by plant-associated bacteria and, 438
*Panicum* spp.
wheat streak mosaic virus population genetics and, 199
*Pantoea* spp.
biofilm formation by plant-associated bacteria and, 436, 440, 443
pathogen self-defense and, 509
quorum sensing in plant-pathogenic bacteria and, 455, 460–62
Papaya ringspot virus
pesticide use in California and, 365
*Paralongidorus* spp.
perspectives on plant and soil nematology, 7, 11
Parasitic fungi
biotrophic plant-microbe interactions and, 641–60
Parasitic nematode interactions
with mammals and plants
cellular adaptations, 248–49
evolutionary relationships, 246–47
genomics, 260
host cell and tissue modifications, 249–52
host cell modifications, 258–59
host defense mechanisms, 254–60
host gene expression, 252–54, 258–59
host immune system interference, 256
host invasion, 249–57
introduction, 245–49
morphological adaptations, 248–49
parasitic strategies, 247–48
parasitism genes, 252–60

perspectives, 260–62
socioeconomic impact, 245–46
Parasitism
perspectives on plant and soil nematology, 1, 5–7, 10, 12–13
*Paratrichodorus* spp.
parasitic nematode interactions and, 246
perspectives on plant and soil nematology, 7, 11
*Pasteuria penetrans*
pathogen self-defense and, 522
perspectives on plant and soil nematology, 15
*Pastinaca sativa*
*Gibberella* spp. and, 188
Pathogenicity
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
biotrophic plant-microbe interactions and, 641–60
cAMP signaling in phytopathogenic fungi and, 399–420
crop biosecurity and, 155–72, 305–9
methyl bromide alternatives and, 325, 339–40
mycotoxin management in maize and, 99
perspectives on plant and soil nematology, 1, 4–7
quorum sensing in plant-pathogenic bacteria and, 455–72
*Spiroplasma citri* transmission and pathogenicity, 483–96
Pathogen scoring system prototype
crop biosecurity and, 169
Pathogen self-defense
agrocin 84, 510–11
altering environment, 518–19
antagonist population dynamics, 516–18
antibiosis, 505–16
antibiotic resistance, 509–16
*Bacillus*, 509–10
bacteriophage resistance, 520–21
chemical defense, 519–20
competition, 516–20
conclusions, 527
coopting plant host defenses, 519
degradation of toxins produced by fungal competitors, 514–15
durability of biocontrol, 524–27
hypovirulence, 522–24
induced sporulation, 521–22
intensified application, 526–27
introduction, 501–3
"lifting the drawbridge", 518
mycoparasitism, 520–22
nematode resistance to parasitic bacteria, 522
pathogen signaling, 511–14
pesticides, 503–5
*Pseudomonas*, 508–9
reverse mycoparasitism, 522
shutting out competitors, 518
structural barriers, 521–22
toxins, 503–5
transgene deployment, 526–27
volatiles, 515–16
*PBH6-12* genes
biotrophic plant-microbe interactions and, 647
Peanut
tomato spotted wilt and, 53–68
*Pelle* gene
*Pto*-mediated resistance to bacterial speck disease in tomato and, 220
*Pellicularia filamentosa*
perspectives on plant and soil nematology, 2
*Penicillium* spp.
pathogen self-defense and, 519
Pentachloronitrobenzene (PCNB)
tomato spotted wilt in peanut and, 62
6-Pentyl-$\alpha$-pyrone
pathogen self-defense and, 514
*Peridermium strobi*
history of research and, 45
*Peronosclerospora philippinensis*
crop biosecurity and, 167
*Peronospora* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 124
biotrophic plant-microbe interactions and, 650, 659
crop biosecurity and, 160
Persistence
crop biosecurity and, 155, 168–69, 171
Perylenequinones
pathogen self-defense and, 520
Pesticides
history of research and, 33
methyl bromide alternatives and, 333–34

pathogen self-defense and, 503–5
use in California and
strategies for reduction of
almond trees, 358–60
antibiotics, 364–65
attrition of older chemistries, 366–67
calendar spray model, 359–62
California Pesticide Use Reports, 353
case study, 358–62
conclusions, 370–71
consumer-driven strategies, 367–68
"conventional" compounds, 355
corporations, 368–70
cost-risk analyses, 368–70
crop-dependent patterns of fungicide use, 355–56
environment, 368–70
epiphytotics, 368
factors affecting pesticide use, 355
genetically modified (GM) plants, 365–66
growers, 368–70
impediments to pesticide reduction, 368–70
integrated pest management, 356–62
intensity of fungicide use, 359–62
introduction, 351–53
loss of registration, 366–67
mandated reduction, 366–67
microbial biocontrol agents, 362–65
organic agriculture, 367–68
pest management advisors, 368–70
policy barriers, 370
powdery mildew on grapes, 359–62
processor-mandated requirements, 367
*Pseudomonas fluorescens*, 364–65
public, 368–70
"reduced-risk" compounds, 355
restricted registration, 366–67
social strategies for pesticide reduction, 366–68
stone fruit trees, 358–60
taxation, 366–67
technical strategies for reduction of pesticide use, 356–66
trends in use, 353–56
voluntary grower efforts, 368
Pest management advisors
pesticide use in California and, 368–70
*Petunia* spp.
tomato spotted wilt in peanut and, 63
*pgp* genes
pathogen self-defense and, 508
*Phakopsora pachyrhizi*
crop biosecurity and molecular-based diagnostics, 313
*Phanaerochaete magnoliae*
pathogen self-defense and, 516
*Phapospora pachyrhizi*
crop biosecurity and, 167
*Phellinus weirii*
pathogen self-defense and, 521
Phenazine-1-carboxylic acid (PCA)
antibiotic production in root-colonizing *Pseudomonas* spp. and, 118, 122–23
pathogen self-defense and, 505–7
Phenazines
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–18, 120–21, 127, 130–32
pathogen self-defense and, 508, 518
Phenotype analysis
cAMP signaling in phytopathogenic fungi and, 405–7
*phl* genes
antibiotic production in root-colonizing *Pseudomonas* spp. and, 126, 129–30, 133, 135–36
pathogen self-defense and, 511–14
Phloem
*Spiroplasma citri* transmission and pathogenicity, 483–96
Phloroglucinols
antibiotic production in root-colonizing *Pseudomonas* spp. and, 120–21
*Phomopsis longicola*
crop biosecurity and molecular-based diagnostics, 313
*Phoradendron* spp.
history of research and, 48
Phorate
tomato spotted wilt in peanut and, 64–65, 67
Phospholipid fatty acid analysis (PLFA)
transgenic nematode control and, 631

Phosphotransferase
*Spiroplasma citri*
transmission and pathogenicity, 490–91
Phthalamides
pesticide use in California and, 354
Phyllosphere
biofilm formation by plant-associated bacteria and, 429, 433–37
Phylogenetic species
*Gibberella* spp. and, 177
*Phytophthora* spp.
biotrophic plant-microbe interactions and, 645–46
crop biosecurity and, 161, 167, 313
methyl bromide alternatives and, 341
pathogen self-defense and, 506, 509, 512, 515–17
Phytosanitation
crop
molecular-based diagnostics and, 305–19
*phz* genes
antibiotic production in root-colonizing *Pseudomonas* spp. and, 121, 125, 131–32, 136
*Picea sitchensis*
ecology of mycorrhizae and, 295
Pigments
quorum sensing in plant-pathogenic bacteria and, 455–72
*Pinus* spp.
ecology of mycorrhizae and, 280, 293
*Gibberella* spp. and, 177, 181–82, 185, 192–93
history of research and, 41, 43, 45–47, 49
Pisatin
cAMP signaling in phytopathogenic fungi and, 417
*Pisolithus tinctorius*
ecology of mycorrhizae and, 277, 286
*Pisum sativum*
*Gibberella* spp. and, 191
Plant and soil nematology
perspectives
biological control, 15–16
*C. elegans*, 11–12
conclusions, 20–21
discoveries, 7–8
durable host resistance, 16
ecological nematology, 14–15
ecology-based management/cropping systems, 16
education programs, 17–18
evolving research thrusts, 8–15
future research, 19–20
genetic engineering, 13–14
genetics, 12–13
host resistance, 13–14, 16
international programs, 18
introduction, 1
molecular biology, 10–13
nematodes, 4, 15–17
organic agriculture, 16–17
parasitism, 5–7, 12–13
pathogenicity, 4–7
personal history, 2–4
physiology, 12–13
plant disease, 4–7
professional societies, 19–20
quantitative nematology, 14–15
role of individual, 19–20
soil biology-based integrated management, 15–17
sustainable agriculture, 16–17
traditional taxonomy/systematics interfaces with molecular biology, 10–11
Plant-associated bacteria
biofilm formation and, 429–46
Plant disease invasion
crop biosecurity and, 155–72
Plant growth promotion
methyl bromide alternatives and, 340–41
Plant parasitic nematodes
parasitic nematode interactions and, 245–62
Plant pathology
perspectives on plant and soil nematology, 1–21
Plant protection laws
history of, 41, 47
Planting date
mycotoxin management in maize and, 99, 101
tomato spotted wilt in peanut and, 60–62
Plasmodiophorid vectors
*Benyviruses* and, 567–85
*Plasmodium vivax*
biotrophic plant-microbe interactions and, 657
Plastic films
methyl bromide alternatives and, 335–37
*Pleospora papaveracea*
crop biosecurity and, 164
*plt* genes
antibiotic production in

root-colonizing *Pseudomonas* spp. and, 126, 129–30, 133
Plum pox potyvirus (PPV)
crop biosecurity and, 158, 167, 312
*PMA1* gene
biotrophic plant-microbe interactions and, 643
*pmk1* gene
cAMP signaling in phytopathogenic fungi and, 412
*pmr6* gene
biotrophic plant-microbe interactions and, 652, 658
*Polerovirus* spp.
luteovirus-aphid interactions and, 539, 542
Policy
pesticide use in California and, 370
*Polygonum* spp.
*Gibberella* spp. and, 188
Polymerase chain reaction (PCR)
*Benyviruses* and plasmodiophorid vectors, 567, 574
crop biosecurity and molecular-based diagnostics, 305, 308–15
*Polymyxa betae*
*Benyviruses* and plasmodiophorid vectors, 567–85
Polysaccharides
extracellular
quorum sensing in plant-pathogenic bacteria and, 455–72
Population dynamics
antagonist
pathogen self-defense and, 516–18
Population genetics
wheat streak mosaic virus and, 199–211
*Populus balsamifera*
ecology of mycorrhizae and, 295
Positive feedback loops
antibiotic production in root-colonizing *Pseudomonas* spp. and, 135–36
Positive-strand RNA virus
brome mosaic virus RNA replication and, 77–92
Postharvest management
mycotoxin management in maize and, 99, 103–4
Posttranscriptional regulation
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 132–35
Potato leafroll virus (PLRV)
luteovirus-aphid interactions and, 542, 547, 549, 555, 558
Potyviridae
wheat streak mosaic virus population genetics and, 199–211
Powdery mildew fungi
biotrophic plant-microbe interactions and, 641–60
Powdery mildew on grapes
pesticide use in California and, 353–55, 359–62, 367
*pra* genes
cAMP signaling in phytopathogenic fungi and, 401
*Pratylenchus* spp.
crop biosecurity and molecular-based diagnostics, 315
methyl bromide alternatives and, 339
parasitic nematode interactions and, 247, 249
perspectives on plant and soil nematology, 6, 11
transgenic nematode control and, 619, 627
Precision pest management
optical disease detection and, 593–609
Preharvest management
mycotoxin management in maize and, 100–2
Preparedness
crop biosecurity and, 170–71
*Prf* gene
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 222–23, 228
transgenic nematode control and, 623
*PR* genes
biotrophic plant-microbe interactions and, 646–47, 652
*Pto*-mediated resistance to bacterial speck disease in tomato and, 236
*prnA* gene
antibiotic production in root-colonizing *Pseudomonas* spp. and, 126
Probiotic microorganisms
antibiotic production in root-colonizing *Pseudomonas* spp. and, 119
Processor-mandated requirements
pesticide use in California and, 367
Promoters
cAMP signaling in phytopathogenic fungi and, 416
transgenic nematode control and, 615, 625–30
Propargyl bromide

methyl bromide alternatives and, 332, 336–37
Protease inhibitors
transgenic nematode control and, 615–18
Protein kinase A (PKA)
cAMP signaling in phytopathogenic fungi and, 399–404, 406, 410–12, 414–19
*Proteobacteria* spp.
biofilm formation by plant-associated bacteria and, 439
Proton-symport-driven transporter proteins
biotrophic plant-microbe interactions and, 641–60
*prrB* gene
antibiotic production in root-colonizing *Pseudomonas* spp. and, 132
Pseudobactin
antibiotic production in root-colonizing *Pseudomonas* spp. and, 126
Pseudogenes
transgenic nematode control and, 622
*Pseudomonas* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
biofilm formation by plant-associated bacteria and, 433–36, 438, 440–44
biotrophic plant-microbe interactions and, 647, 650–51, 658–59
crop biosecurity and, 167, 307, 310–11
pathogen self-defense and, 505, 507–27
pesticide use in California and, 362–65
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215–37
quorum sensing in plant-pathogenic bacteria and, 455, 464–66
transgenic nematode control and, 623
*psrA* gene
antibiotic production in root-colonizing *Pseudomonas* spp. and, 127
*Pterocarya* spp.
*Gibberella* spp. and, 188
*PTH11* gene
cAMP signaling in phytopathogenic fungi and, 407–8
*Pti* genes
*Pto*-mediated resistance to bacterial speck disease in tomato and, 229–31
*Pto*-mediated resistance to bacterial speck disease in tomato
activation, 235–37
affinity-enhancement model, 233–35
ancient origin of *Pto*, 220–21
autophosphorylation, 226–27
*AvrPto*, 218–35
*AvrPtoB*, 224–26
conclusions, 237
conservation of *Pto* pathway, 220–21
conserved signaling pathways, 231–32
cytoplasmic recognition, 223–24
discovery of *Pto* locus, 217–18
downstream defenses, 235–37
evolution, 220–32
*Fen*, 220
future research, 237
guard hypothesis, 232
intracellular recognition, 223–25
introduction, 215–17
models for *Pto-AvrPto* recognition event, 232–35
molecular identification and characterization, 218–23
*Prf*, 222–23, 228
*Pto*-interacting (*Pti*) proteins, 229–31
Pto(Y207D), 227–28
recognition, 225–28
serine-threonine protein kinase, 221–22, 224–25
signal transduction, 228–32
specificity, 225–26
type III secretion system, 223
Public
pesticide use in California and, 368–70
*Puccinia* spp.
biotrophic plant-microbe interactions and, 647, 652
crop biosecurity and, 160, 162–64, 167
optical disease detection and, 599
pathogen self-defense and, 521
*pyk20* gene
transgenic nematode control and, 629
Pyocyanin
antibiotic production in root-colonizing

*Pseudomonas* spp. and, 118–21
pathogen self-defense and, 508
Pyoluteorin
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 120–21, 125, 127, 129–30
*Pyrenophora* spp.
crop biosecurity and molecular-based diagnostics, 313
Pyrethroids
pesticide use in California and, 351, 358–60
*Pyricularia oryzae*
crop biosecurity and, 161–62
Pyriproxyfen
pesticide use in California and, 355
Pyrrolnitrin
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 119–21, 127
*Pythium* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 121, 125–26
methyl bromide alternatives and, 339, 341, 343
pathogen self-defense and, 505–6, 512, 516–17, 519
perspectives on plant and soil nematology, 6

Q

Q72a-80
pathogen self-defense and, 517
Quantitative nematology
perspectives on plant and soil nematology, 14–15
Quantitative trait loci (QTL)
mycotoxin management in maize and, 106
Quarantine and regulation
crop biosecurity and molecular-based diagnostics, 316–17
*Quercus* spp.
ecology of mycorrhizae and, 293–94
Quorum sensing
antibiotic production in root-colonizing *Pseudomonas* spp. and, 130–32
plant-pathogenic bacteria and
*Agrobacterium tumefaciens*, 457–60
animals, 465–66
cell-to-cell signaling in *Xanthomonas campestris* pv. campestris, 467–69
conclusions, 471–72
crown gall, 457–60
epiphytic survival of *Pseudomonas syringae* pathovars, 464–65
*Erwinia carotovora*, 462–63
host plant mechanisms, 469–71
introduction, 455–57
*Pantoea stewartii*, 460–62
perspectives, 471–72
*Pseudomonas aeruginosa*, 465–66
*Ralstonia solanacearum*, 466–67
soft rot Erwinias, 462–63
Stewart's wilt of corn, 460–62

R

Race-specific resistance
biotrophic plant-microbe interactions and, 641, 648–50
*Radopholus* spp.
perspectives on plant and soil nematology, 6, 11, 13
transgenic nematode control and, 619, 627
*Ralstonia* spp.
biofilm formation by plant-associated bacteria and, 440
crop biosecurity and, 167
quorum sensing in plant-pathogenic bacteria and, 455, 466–67
*Ramularia* spp.
crop biosecurity and molecular-based diagnostics, 313
*Rar1* gene
biotrophic plant-microbe interactions and, 650–52, 659
*Pto*-mediated resistance to bacterial speck disease in tomato and, 231
Real-time PCR
*Benyviruses* and plasmodiophorid vectors, 567, 574
crop biosecurity and molecular-based diagnostics, 305, 309–10
Recruitment
brome mosaic virus RNA replication and, 88–89
Reduced application risk
methyl bromide alternatives and, 333–34
Reduced-risk compounds
pesticide use in California and, 355
Regional adaptation
*Benyviruses* and

plasmodiophorid vectors, 571–72
Registration
pesticide use in California and, 366–67
Remote sensing
optical disease detection and, 593–609
Replication
brome mosaic virus RNA replication and, 77–92
Reporter genes
biotrophic plant-microbe interactions and, 648
Reprogramming
host cell
disease resistance and, 641–60
Resistance
cAMP signaling in phytopathogenic fungi and, 405–7
mycotoxin management in maize and, 99, 104–10
transgenic nematode control and, 615–32
Resistance signaling
biotrophic plant-microbe interactions and, 641–60
Resource acquisition
ecology of mycorrhizae and, 275–80
Restricted registration
pesticide use in California and, 366–67
Resveratrol
pathogen self-defense and, 509
Reverse mycoparasitism
pathogen self-defense and, 522
*R* genes
biotrophic plant-microbe interactions and, 645, 648–52, 659
parasitic nematode interactions and, 255–56
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215–37
transgenic nematode control and, 618, 621–24
*Rhg* genes
parasitic nematode interactions and, 255
*Rhizoctonia* spp.
cAMP signaling in phytopathogenic fungi and, 417–18
crop biosecurity and molecular-based diagnostics, 311, 313
methyl bromide alternatives and, 339, 341, 343
pathogen self-defense and, 505–7, 519, 521
perspectives on plant and soil nematology, 6
Rhizomania
*Benyviruses* and plasmodiophorid vectors, 567, 580–84
*Rhizopogon* spp.
ecology of mycorrhizae and, 277
Rhizosphere
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
biofilm formation by plant-associated bacteria and, 429, 437–39
*Rhopalosiphum* spp.
luteovirus-aphid interactions and, 542, 544–45, 556–57
*Rhynchosporium secalis*
biotrophic plant-microbe interactions and, 652
*Ribes* spp.
history of research and, 47
Ribosome inactivating proteins (RIPs)
transgenic nematode control and, 626
Rice blast
crop biosecurity and, 161–62
Rice stripe necrosis virus (RSNV)
*Benyviruses* and plasmodiophorid vectors, 573
Risk index
tomato spotted wilt in peanut and, 53, 66–67
RNA helicases
brome mosaic virus RNA replication and, 85–86
RNA interference (RNAi)
transgenic nematode control and, 615, 624–25
RNA polymerase
brome mosaic virus RNA replication and, 83–86
RNA viruses
brome mosaic virus RNA replication and, 77–92
wheat streak mosaic virus population genetics and, 199–211
RNA2-specific subdomain
brome mosaic virus RNA replication and, 84–85
Root-knot nematodes
perspectives on plant and soil nematology, 1, 5–6, 8–9, 11–12, 15, 19
Roots
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
*Benyviruses* and plasmodiophorid vectors, 570
methyl bromide alternatives and, 325
transgenic nematode

control and, 627–29
*ror* genes
biotrophic plant-microbe interactions and, 653–55
parasitic nematode interactions and, 256
*Rosellinia necatrix*
crop biosecurity and molecular-based diagnostics, 313
*Rotylenchulus* spp.
parasitic nematode interactions and, 251
perspectives on plant and soil nematology, 6
transgenic nematode control and, 617
*rpk1* gene
cAMP signaling in phytopathogenic fungi and, 410, 414
*RPL16* promoter
transgenic nematode control and, 628
*rpo* genes
antibiotic production in root-colonizing *Pseudomonas* spp. and, 126–27
*RPW8* gene
biotrophic plant-microbe interactions and, 652, 659–60
*rrn* genes
pathogen self-defense and, 512, 517
*rsm* genes
antibiotic production in root-colonizing *Pseudomonas* spp. and, 132, 134–35
*Russula macula*
ecology of mycorrhizae and, 277
Rusts
biotrophic plant-microbe interactions and, 641–60
*Rx1* gene
transgenic nematode control and, 623
*Rymovirus* spp.
wheat streak mosaic virus population genetics and, 209

S

*Saccharomyces cerevisiae*
biotrophic plant-microbe interactions and, 651
cAMP signaling in phytopathogenic fungi and, 399–400, 404, 406, 411, 419
SAGE technique
cAMP signaling in phytopathogenic fungi and, 419
Salivary gland
luteovirus-aphid interactions and, 539, 548–52
*Salmonella* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 123
biofilm formation by plant-associated bacteria and, 436, 444
crop biosecurity and molecular-based diagnostics, 306
Saprophytic yeasts
cAMP signaling in phytopathogenic fungi and, 399–400, 404, 406, 411, 419
SARP1 protein
*Spiroplasma citri* transmission and pathogenicity, 494–95
*sc76* gene
*Spiroplasma citri* transmission and pathogenicity, 492–93
*Schizaphis graminum*
luteovirus-aphid interactions and, 542, 558–60
*Schizosaccharomyces pombe*
biotrophic plant-microbe interactions and, 651
cAMP signaling in phytopathogenic fungi and, 400, 419
Scholarship of teaching and learning
teaching plant pathology and, 377, 393–94
*Sclerophthora rayssiae*
crop biosecurity and, 167
Sclerotia
cAMP signaling in phytopathogenic fungi and, 417
*Sclerotinia* spp.
cAMP signaling in phytopathogenic fungi and, 417
crop biosecurity and, 167
pathogen self-defense and, 505, 518
*Sclerotium rolfsii*
cAMP signaling in phytopathogenic fungi and, 417–18
*scm1* gene
*Spiroplasma citri* transmission and pathogenicity, 484–86
*Scutellospora* spp.
ecology of mycorrhizae and, 278, 292
Secondary metabolism
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117
Self-defense
pathogen self-defense and, 501–27

September 11, 2001 (9/11)
crop biosecurity and molecular-based diagnostics, 305–19
Serine protease inhibitors
transgenic nematode control and, 616
Serine-threonine protein kinases
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 221–22, 224–25
*Serratia* spp.
pathogen self-defense and, 505, 515
*Setaria* spp.
wheat streak mosaic virus population genetics and, 199
*Sgt1* gene
biotrophic plant-microbe interactions and, 650–52
*Pto*-mediated resistance to bacterial speck disease in tomato and, 231
*SID1* gene
biotrophic plant-microbe interactions and, 646
Siderophores
quorum sensing in plant-pathogenic bacteria and, 455–72
Sigma factors
antibiotic production in root-colonizing *Pseudomonas* spp. and, 125–27
Signaling
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 132–35
biotrophic plant-microbe interactions and, 650–52
cAMP signaling in phytopathogenic fungi and, 399–420
pathogen self-defense and, 501, 511–14
*Pto*-mediated resistance to bacterial speck disease in tomato and, 215, 228–32
quorum sensing in plant-pathogenic bacteria and, 455–72
*Sitobion avenae*
luteovirus-aphid interactions and, 542–44, 551, 556–57
*SKP1* gene
biotrophic plant-microbe interactions and, 651
Smuts
cAMP signaling in phytopathogenic fungi and, 399–420
Snowdrop lectin (GNA)
transgenic nematode control and, 619–31
Social strategies for pesticides reduction
pesticide use in California and, 366–68
Sodium azide
methyl bromide alternatives and, 333
Soft rot Erwinias
quorum sensing in plant-pathogenic bacteria and, 462–63
Soft targets
crop biosecurity and molecular-based diagnostics, 306–7
Soil amendment
methyl bromide alternatives and, 343–44
Soilborne pathogens
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117–37
*Benyviruses* and plasmodiophorid vectors, 570, 582
methyl bromide alternatives and, 325
Soilborne wheat mosaic virus (SBWMV)
*Benyviruses* and plasmodiophorid vectors, 573–74
Soil microbiology
methyl bromide alternatives and, 340
Soil nematology
perspectives on plant and soil nematology, 1–21
*Solanum* spp.
*Gibberella* spp. and, 177, 191
Solarization
methyl bromide alternatives and, 342–43
Soybean dwarf virus (SbDV)
luteovirus-aphid interactions and, 545, 547, 552
Spatial disease control strategies
optical disease detection and, 601–9
Spatial factors
tomato spotted wilt in peanut and, 57
Species richness
ecology of mycorrhizae and, 281–82
Specificity
*Benyviruses* and plasmodiophorid vectors, 570–71
*Pto*-mediated resistance to bacterial speck disease in tomato and, 225–26
Spergon
history of research and, 28
*Sphaeria baccata*
*Gibberella* spp. and, 180
Spinosad

pesticide use in California and, 355
Spiralin
*Spiroplasma citri*
transmission and pathogenicity, 483, 487, 493–94
*Spirocerca lupi*
parasitic nematode interactions and, 250
*Spiroplasma citri*
conclusions, 495–96
fibrillar cytoskeleton and associated proteins, 486–87
fructose, 490–91
glucose, 490–91
helicity, 486–87
introduction, 483–84
leafhopper transmission, 491–95
molecular genetics, 484–85
motility, 485–87
phosphotransferase systems, 490–91
*sc76*, 492–93
spiralin gene, 493–94
spiroplasmal adhesion-related proteins, 494–95
sugar catabolism, 490–91
sugar metabolism, 487–90
trehalose, 490–91
*Sporotrix flocculosa*
pathogen self-defense and, 506–7
Sporulation
cAMP signaling in phytopathogenic fungi and, 399–400
pathogen self-defense and, 521–22
Spray maps
optical disease detection and, 593–609
Spread
crop biosecurity and, 155, 159–60, 168–69, 171
optical disease detection and, 603–5
*sql1* gene
cAMP signaling in phytopathogenic fungi and, 404
*ssp1* gene
cAMP signaling in phytopathogenic fungi and, 406, 412
Stacking
transgenic nematode control and, 618
*Staphylococcus aureus*
antibiotic production in root-colonizing *Pseudomonas* spp. and, 123
biofilm formation by plant-associated bacteria and, 444
State programs
crop biosecurity and, 160–63
Staurosporine
cAMP signaling in phytopathogenic fungi and, 416
*Steinernema* spp.
perspectives on plant and soil nematology, 15
*Stemphylium loti*
pathogen self-defense and, 506, 516
Stewart's wilt of corn
quorum sensing in plant-pathogenic bacteria and, 460–62
Storage facilities
mycotoxin management in maize and, 103–4
*Streptococcus pneumoniae*
biotrophic plant-microbe interactions and, 657
*Streptomyces* spp.
antibiotic production in root-colonizing *Pseudomonas* spp. and, 120, 123
pathogen self-defense and, 521
Streptomycin
pathogen self-defense and, 526
pesticide use in California and, 354, 363
*Striga* spp.
*Gibberella* spp. and, 186
*Strongyloides* spp.
parasitic nematode interactions and, 246–47
Structural barriers
pathogen self-defense and, 521–22
Sucrose
*Spiroplasma citri*
transmission and pathogenicity, 483–96
Sugar metabolism
*Spiroplasma citri*
transmission and pathogenicity, 483, 487–90
Sugarcane Fiji disease virus
crop biosecurity and, 167
*Suillus bovinus*
ecology of mycorrhizae and, 286
Sulfur compounds
history of research and, 28–29
*sum1* gene
cAMP signaling in phytopathogenic fungi and, 410, 412
Survival
biofilm formation by plant-associated bacteria and, 434–36
quorum sensing in plant-pathogenic bacteria and, 464–65

Susceptibility
disease
biotrophic plant-microbe interactions and, 641–60
Sustainable agriculture
perspectives on plant and soil nematology, 16–17
*Sw-5* gene
*Pto*-mediated resistance to bacterial speck disease in tomato and, 222
Symbionin
luteovirus-aphid interactions and, 547–48
Symbiotic biotrophy
biotrophic plant-microbe interactions and, 641–44
*Synchytrium endobioticum*
crop biosecurity and, 167
Synergistic interactions
pathogen self-defense and, 501
Systemic acquired resistance (SAR)
antibiotic production in root-colonizing *Pseudomonas* spp. and, 119

T

T-2 mycotoxin
crop biosecurity and, 159–60
*Tapesia yallundae*
optical disease detection and, 597, 602
Targeted control
field crop diseases
optical disease detection and, 593–609
Targeting
crop biosecurity and, 164–65
Taxation
pesticide use in California and, 366–67
Taxonomy
*Benyviruses* and plasmodiophorid vectors, 568
Teaching plant pathology
innovations in
access to information, 389–90
active learning, 381
APS*net* Education Center, 394–95
biology courses, 383
cautions, 387–88, 391–93
changing teaching roles, 380–86
computer-based teaching tools, 388–89
computer games, 388
conclusions, 395
course content, 379, 382–85, 390–91
current teaching environment, 378–80
decision-making tools, 388–89
distance learning, 379, 391
educational research, 382
existing programs, 378–79
future of plant pathology as discipline, 380
games, 381–82, 388
graduate education, 382
group learning, 381
images, 386–88
instructional technology, 379–80, 386–93
instructor communication and scholarship, 393–94
introduction, 377–78
lifelong learning, 385–86
microbiology courses, 383
new audiences, 383–86
outreach to K-12 teachers and students, 385
students in introductory courses, 379
teaching expectations, 380
teaching methods, 380–82
Tebufenozide
pesticide use in California and, 355
Teliospores
cAMP signaling in phytopathogenic fungi and, 399
Temperature
soil
*Benyviruses* and plasmodiophorid vectors, 582
Temporal factors
tomato spotted wilt in peanut and, 57
Terpenoids
*Gibberella* spp. and, 184
*tetM* gene
*Spiroplasma citri* transmission and pathogenicity, 484
Tetrachloroquinone
history of research and, 28
Tetracycline
pathogen self-defense and, 526
*Spiroplasma citri* transmission and pathogenicity, 484
*tga1* gene
cAMP signaling in phytopathogenic fungi and, 418
*Thanatophorus cucumeris*
perspectives on plant and

soil nematology, 2
*Thelephora terrestris*
ecology of mycorrhizae and, 286
Theophylline
cAMP signaling in phytopathogenic fungi and, 417
*Thielaviopsis basicola*
antibiotic production in root-colonizing *Pseudomonas* spp. and, 118, 128
pathogen self-defense and, 515
Thio fungicides
history of research and, 28
Thiophenate-methyl
pesticide use in California and, 354
Thiram
pesticide use in California and, 367
*Thriponema fuscum*
tomato spotted wilt in peanut and, 53–68
*Thrips palmi*
crop biosecurity and, 163
Tillage
mycotoxin management in maize and, 99–101
tomato spotted wilt in peanut and, 65–66
*Tilletia* spp.
crop biosecurity and, 159, 162, 166–67, 313–14
Ti plasmid transfer
quorum sensing in plant-pathogenic bacteria and, 455–72
Tobacco mosaic virus (TMV)
biotrophic plant-microbe interactions and, 650–51
brome mosaic virus RNA replication and, 80
*Pto*-mediated resistance to bacterial speck disease in tomato and, 231
*TobRB7* gene
perspectives on plant and soil nematology, 14
Tomato spotted wilt virus (TSWV)
crop biosecurity and molecular-based diagnostics, 312
in peanut
chemical control, 63–65
conclusions, 68
cultivar selection, 58–60
field location, 60–62
field resistance, 58–60
impact on peanut production, 54–55
initial inoculum, 55–57
insecticides, 63–65
integrated disease management, 57–58, 66–67
introduction, 53–54
management in the future, 67–68
occurrence, 54–55
plant population, 62–63
planting date, 60–62
risk index, 66–67
row pattern, 65
spatial aspects of disease, 57
symptomology, 54–55
temporal aspects of disease, 57
thrips vectors, 55–57
tillage systems, 65–66
tospoviruses on peanut, 54
weed control, 65–66
Tospoviruses
tomato spotted wilt in peanut and, 53–68
Toxins
pathogen self-defense and, 503–5
*TR15* gene
*Gibberella* spp. and, 180
Transcriptional regulation
antibiotic production in root-colonizing *Pseudomonas* spp. and, 117, 125–32
Transgenes
pathogen self-defense and, 501, 526–27
Transgenic nematode control
genetic engineering and, 615–32
Transgenic resistance
mycotoxin management in maize and, 99–100, 106–10
Translation
brome mosaic virus RNA replication and, 77, 84–86
Transmission
luteovirus-aphid interactions and, 539–42, 552
*tre* genes
pathogen self-defense and, 512
*Spiroplasma citri*
transmission and pathogenicity, 490
Trehalose
*Spiroplasma citri*
transmission and pathogenicity, 490–91
Triadimefon
pesticide use in California and, 353–54, 367
Triazoles
pesticide use in California and, 354
*Trichinella* spp.
parasitic nematode interactions and, 245–48, 250, 252–54, 258, 261
*Trichoderma* spp.
antibiotic production in root-colonizing

*Pseudomonas* spp. and, 120, 136
cAMP signaling in phytopathogenic fungi and, 399, 418–19
pathogen self-defense and, 507, 512, 514–15, 519–20, 522
pesticide use in California and, 363
*Trichodorus* spp.
parasitic nematode interactions and, 246
perspectives on plant and soil nematology, 7, 11
Trichothecenes
crop biosecurity and, 159
*Gibberella* spp. and, 180, 183, 191, 193
mycotoxin management in maize and, 99, 107–10
pathogen self-defense and, 514–15
*Trichuris* spp.
parasitic nematode interactions and, 246–47, 250
Trifloxystrobin
pesticide use in California and, 355
*Trifolium* spp.
*Gibberella* spp. and, 191
*Triticum aestivum*
*Gibberella* spp. and, 177
wheat streak mosaic virus population genetics and, 199
*Tritimovirus* spp.
wheat streak mosaic virus population genetics and, 199–211
tRNA-like elements
brome mosaic virus RNA replication and, 88–89
Trophic groups
perspectives on plant and soil nematology, 1
Tropics
mycotoxin management in maize and, 99, 101
14-kDa Trypsin-inhibiting protein
mycotoxin management in maize and, 105, 107
*TUB-1* promoter
transgenic nematode control and, 628–29
*Tuberculina maxima*
history of research and, 41, 45–46
Turnover factors
cellular mRNA
brome mosaic virus RNA replication and, 87–88
*Tylenchulus* spp.
methyl bromide alternatives and, 333
parasitic nematode interactions and, 251
perspectives on plant and soil nematology, 11
Type III secretion system
*Pto*-mediated resistance to bacterial speck disease in tomato and, 223
*Typhula incarnate*
pathogen self-defense and, 519

## U

*uac1* gene
cAMP signaling in phytopathogenic fungi and, 402–3, 405
*ubc1* gene
cAMP signaling in phytopathogenic fungi and, 402–6, 410
*uka1* gene
cAMP signaling in phytopathogenic fungi and, 405, 410
*Ulmus* spp.
*Gibberella* spp. and, 181
*Uncinula necator*
pesticide use in California and, 353, 360–61
United States
crop biosecurity and, 155–72, 305–19
*Uromyces* spp.
biotrophic plant-microbe interactions and, 642–43
cAMP signaling in phytopathogenic fungi and, 400
*Ustilago maydis*
cAMP signaling in phytopathogenic fungi and, 399, 401–7, 419
crop biosecurity and, 166–67
pathogen self-defense and, 509

## V

Variability within species
*Benyviruses* and plasmodiophorid vectors, 576–78
Vector competence
luteovirus-aphid interactions and, 556–59
Vector-specificity model
luteovirus-aphid interactions and, 539, 542–44
Vegetable production
pesticide use in California and, 351–70
Vegetative growth
cAMP signaling in phytopathogenic fungi and, 399
Venom allergen homologues (VAH)
parasitic nematode interactions and, 257, 262
*Verbesnia enceloides*
tomato spotted wilt in

peanut and, 66
*Verticillium dahliae*
methyl bromide
alternatives and, 326, 328, 332, 334, 339, 341–44
pathogen self-defense and, 505, 507, 515
Vinclozolin
pesticide use in California and, 354
*vip*3a gene
transgenic nematode control and, 620
Virulence
cAMP signaling in phytopathogenic fungi and, 402–3
quorum sensing in plant-pathogenic bacteria and, 455–72
Viruses
*Benyviruses* and plasmodiophorid vectors, 567–85
biotrophic plant-microbe interactions and, 650–51, 659
brome mosaic virus RNA replication and, 77–92
crop biosecurity and molecular-based diagnostics, 305, 311–12
luteovirus-aphid interactions and, 539
perspectives on plant and soil nematology, 1
*Pto*-mediated resistance to bacterial speck disease in tomato and, 231
tomato spotted wilt in peanut and, 53–68
wheat streak mosaic virus population genetics and, 199–211
Viscosinamide
antibiotic production in root-colonizing *Pseudomonas* spp. and, 120–21
*Viscum album*
history of research and, 48, 50
Volatiles
pathogen self-defense and, 505–6, 515–16
Voluntary grower efforts
pesticide use in California and, 368
von Tubeuf CF, 41–51
Vulnerability
agricultural
crop biosecurity and, 155–72

W

Watermelon bud necrosis virus (WBMV)
tomato spotted wilt in peanut and, 54
Web pages
teaching plant pathology and, 390–91
Weed control
tomato spotted wilt in peanut and, 65–66
Wheat
crop biosecurity and, 159, 161
history of research and, 43
optical disease detection and, 594–95
Wheat streak mosaic virus (WSMV)
population genetics and conclusions, 210–11
evolutionary trends, 208–10
intra-plant bottleneck, 205–7
introduction, 199–201
life history, 205–7
most common recent ancestor, 208–10
RNA virus replication, 201–4
White pine blister rust
history of research and, 41, 43, 45–47
*WIR* genes
biotrophic plant-microbe interactions and, 647
*Wohlbachia* spp.
parasitic nematode interactions and, 250
*wun-1* gene
transgenic nematode control and, 627

X

*Xanthomonas* spp.
biofilm formation by plant-associated bacteria and, 441–42
crop biosecurity and, 167
pathogen self-defense and, 515, 520
*Pto*-mediated resistance to bacterial speck disease in tomato and, 224
quorum sensing in plant-pathogenic bacteria and, 455, 467–69
*Xiphinema* spp.
parasitic nematode interactions and, 246, 251
perspectives on plant and soil nematology, 7, 11
*Xylella* spp.
biofilm formation by plant-associated bacteria and, 440
crop biosecurity and, 167, 310

Y

*ybiT* gene
pathogen self-defense and, 509

*YDJ1* gene
brome mosaic virus RNA replication and, 90–91
Yeast
biotrophic plant-microbe interactions and, 651
brome mosaic virus RNA replication and, 81–82
cAMP signaling in phytopathogenic fungi and, 399–400, 404, 406, 411, 419
"Yellow rain"
crop biosecurity and, 159

## Z

*Zea mays*
*Gibberella* spp. and, 177, 182, 184–85, 188–89
mycotoxin management in maize and, 99–110
Zearalenone
*Gibberella* spp. and, 183, 191
mycotoxin management in maize and, 99, 102, 108–9
Zinc
history of research and, 29
Ziram
pesticide use in California and, 367
*zmaR* gene
pathogen self-defense and, 509
Zwittermicin A
pathogen self-defense and, 509